

ANALYSIS OF PESTICIDE RESIDUES: RECOMMENDED METHODS

CODEX STAN 229-1993, REV.1-2003

TABLE OF CONTENTS

	Page
1. INTRODUCTION	1
1.1 SCOPE.....	1
1.2 CRITERIA FOR THE SELECTION OF ANALYTICAL METHODS.....	1
1.3 APPLICATION OF METHODS.....	2
1.4 REFERENCES TO LITERATURE	2
2. LIST OF METHODS OF ANALYSIS.....	2
3. REFERENCES TO LITERATURE.....	13
3.1. GENERAL ARTICLES.....	13
3.2. MANUALS.....	14
3.3. INDIVIDUAL PAPERS.....	16

1. INTRODUCTION

1.1 SCOPE

The analytical methods listed are those which may, from practical experience of the Codex Committee on Pesticide Residues, be considered for the determination of pesticide residues for regulatory purposes. The list, given in Section 2, is not exhaustive and methods not mentioned in the list can also be applied, provided that they can be shown to produce valid results by the analyst using them.

1.2 CRITERIA FOR THE SELECTION OF ANALYTICAL METHODS

Whenever possible, the CCPR used the following criteria when selecting analytical methods:

- i. Available through national or international standards organizations, books, manuals, open literature, the internet;
- ii. collaboratively studied or known to have been validated in a number of laboratories. For single laboratory validated methods validation must have taken place according to Guidelines on Good Practice in Pesticide Residue Analysis as a minimum;
- iii. capable of determining more than one residue, i.e. multi-residue methods;
- iv. suitable for as many commodities as possible at concentrations at or below the specified MRLs;
- v. applicable in a regulatory laboratory equipped with generally available analytical instrumentation.

Preference was given to gas chromatography or high performance liquid chromatography as the separation step for the methods. Under certain conditions however, screening methods as defined in the Guidelines on Good Practice in Residue Analysis may be applicable. Screening methods are indicated in the list.

1.3 APPLICATION OF METHODS

Before applying the methods it will always be necessary to validate the method and to demonstrate the competence of the analyst. There is a further need for regular verification of the performance of the method during use. Validation and performance verification are described in the Guidelines on Good Practice in Residue Analysis.

1.4 REFERENCES TO LITERATURE

Other relevant Codex recommendations in the field of enforcement of Codex maximum limits for pesticide residues are as follows:

1. Recommended Methods of Sampling for the Determination of Pesticide Residues (Ref: *Codex Alimentarius* Vol. 2, Section 3).
2. Portion of Commodities to which Codex Maximum Residue Limits apply and which should be analysed (Ref: *Codex Alimentarius* Vol. 2, Section 4.1).
3. Explanatory Notes on Codex Maximum Limits for Pesticide Residues (Ref: *Codex Alimentarius* Vol. 2, Section 1).
4. Codex Guidelines on Good Practice in Pesticide Residue Analysis. (Ref: *Codex Alimentarius* Suppl 1 to vol. 2, Section 4).

In paragraph 3 references can be found to:

- general articles on pesticide residue methodology (paragraph 3.1);
- manuals (paragraph 3.2);
- individual papers (paragraph 3.3).

After each reference given in paragraph 3.3, the compounds to which the methods involved apply are indicated by their CCPR number.

2. LIST OF METHODS OF ANALYSIS

The **numbers** refer to the manuals and books listed in paragraph 3.2, the **names** to the (first) author of the papers listed in paragraph 3.3.

CCPR number	Compound	References
001	aldrin/dieldrin	1a, 1n, 1o, 1p, 2a, 2d, 2f, 3, 4 (XII-5, 6; S1-5, S8-10, S12, S19), 5, 7a (5, 6), 7c (S8-10, S12, S19), 8a, 8b, 8c, 8d, 9a (M1, M12), 10 Ambrus, Abbott (2), Panel (4), Stijve (2, 3)
002	azinphos-methyl	2c, 2d, 2e, 2f, 3, 4 (XII-6; S5, S8, S19; 63, 63A), 7a (6), 7c (S8, S19), 7d(255), 9a (M2, M5, M12), 10 Abbott (1), Ambrus, Panel (3)
003	binapacryl	2a, 2d, 3, 4 (XII-4, 6; S19; 8, 43), 7a (6), 7c (S19), 9b, 10 Baker, PB (2)
004	bromophos	2a, 2c, 2d, 4 (XII-3, 6; S5, S8-10, S13, S17, S19; 210, 210A), 6d, 7a (3, 6), 7c (S8-10, S13, S17, S19), 9a (M2, M5, M12), 10 Abbott (1), Ambrus, Bottomley, Panel (7, 8), Stijve (7)

CCPR number	Compound	References
005	bromophos-ethyl	2a, 2c, 2d, 3, 4 (XII-3, 6; S8, S13, S17, S19; 263), 6d, 7a (3,6), 7c (S13, S17, S19), 9a (M2, M5, M12), 10 Abbott (1), Ambrus
006	captafol	2d, 2e, 4 (XII-6; S8, S19, S20; 266, 266A), 6d, 7a (6), 7b, 7c (S8, S19, S20), 9a (M1, M12), 10 Ambrus, Baker, PB (1), Buettler, Gilvydis, Pomerantz
007	captan	2a, 2d, 2e, 3, 4 (XII-6; S8, S12, S19, S20; 12, 12A), 7a (6), 7b, 7c (S8, S12, S19, S20), 9a (M1, M12), 10 Ambrus, Baker, PB (1), Buettler, Gilvydis, Pomerantz
008	carbaryl	1q, 2d, 2e, 2f, 2g, 3, 4 (XII-6; 100), 6c, 7a (6), 9a (M2, M13), 10 Brauckhoff, Chaput, Lawrence(1)
009	carbon disulphide	9a (M8) Mestres (2)
010	carbon tetrachloride	1d, 9a (M8) Daft, Mestres (2), Panel (5)
011	carbophenothion	2a, 2c, 2d, 2e, 2f, 3, 3d, 4 (XII-5, 6; S8, S10, S13, S16, S19), 7a (5, 6), 7c (S8, S10, S13, S16, S19), 8b, 8e, 9a (M2, M5, M12), 10 Abbott (1), Ambrus
012	chlordane	1a, 1o, 2a, 2d, 2f, 3, 4 (XII-5, 6; S9, S10, S12, S19), 5, 7a (5, 6), 7c (S9, S10, S12, S19), 6c, 6d, 8a, 8b, 8c, 8d, 9a (M1, M12), 10 Panel (4), Stijve (3), Veierov
013	chlordimeform	2e, 6a, 9a (M4), 10
014	chlorfenvinphos	2c, 2d, 2e, 2f, 3, 4 (XII-3, 5, 6; S8, S13, S17, S19; 239), 5, 7a (3, 5, 6), 7c (S8, S13, S17, S19), 9a (M2, M5, M12), 10 Abbott (1), Ambrus, Panel (7,8), Stijve (7)
015	chlormequat	6a, 9b Sachse, Stijve (5)
016	chlorobenzilate	2a, 2d, 2e, 3, 4 (XII-6; S19), 7a (6), 7c (S19), 10
017	chlorpyrifos	1p, 2a, 2c, 2d, 2e, 2f, 3, 4 (XII-6; S8, S9, S13, S19), 5, 7a (6), 7c (S8, S9, S13, S19), 8b, 8e, 9a (M2, M5, M12), 10 (Ambrus, Stijve (7))
018	coumaphos	2c, 2d, 2e, 3, 4 (XII-6; S19), 7a (6), 7c (S19), 8b, 8e, 9a (M2, M5, M12) Ambrus, Stijve (7)
019	crufomate	2d, 2e, 2f, 4 (XII-6; S19), 7a (6), 7c (S19), 8b, 8e Stijve (7)
020	2,4-D	2b, 2f, 3, 4 (27, 27A-380), 5,7d(27A-28A), 9a (M6) Ebing, Specht (1)
021	DDT	1a, 1n, 1o, 1p, 2a, 2d, 2f, 3, 4 (XII-4, 5, 6; S1-5, S8-10, S12, S19), 5, 6c, 7a (4,5,6), 7c (S8-10, S12, S19), 8a, 8b, 8c, 9a (M1, M12), 10 Abbott (2), Ambrus, Bottomley, Panel (4), Stijve (2, 3), Veierov

CCPR number	Compound	References
022	diazinon	1a, 2a, 2c, 2d, 2f, 3, 4 (XII-5, 6; S5, S8, S10, S13, S17, S19; 35A, 35B), 6c, 7a (5, 6), 7c (S8, S10, S13, S17, S19), 8e, 9a (M2, M5, M12), 10 Abbott (1), Ambrus, Bottomley, Panel (7), Stijve (7)
023	1,2-dibromoethane	1d, 8f, 9a (M8) Daft, Heikes, Mestres (2), Panel (5), Rains
024	1,2-dichloroethane	1d, 9a (M8) Daft, Mestres (2), Panel (5)
025	dichlorvos	2c, 2d, 2e, 2f, 3, 4 (XII-3, 6; S5, S8, S13, S17, S19; 200), 7a (3, 6), 7c (S13, S17, S19), 8b, 8e, 9a (M2, M5), 10 Abbott (1), Ambrus, Bottomley, Panel (1, 3, 7), Stijve (7)
026	dicofol	2a, 2d, 2f, 3, 4 (XII-6; S8, S9, S12, S19; 69, 69A), 7a (6), 7c (S8, S9, S12, S19), 9a (M1, M12), 10
027	dimethoate	2c, 2d, 2f, 3, 4 (XII-3, 6; S5, S8, S13, S17, S19; 42, 236), 5, 7a (3, 6), 7c (S8, S13, S17, S19), 9a (M5, M12), 10 Abbott (1), Ambrus, Panel (3, 7, 8), Stijve (7)
028	dioxathion	2c, 2d, 4 (XII-6; S8, S13, S19), 7a (6), 7c (S8, S9, S19), 8e, 9a (M2, M5, M12), 10 Abbott (1), Stijve (7)
029	diphenyl	2d, 4 (XII-6; 256A), 7a (6), 10 Farrow, Kitada, Lord, Mestres (1), Player, Pyysalo
030	diphenylamine	2d, 2e, 4 (XII-6), 7a (6), 10 Allen (1), Luke
031	diquat	2e, 4 (37), 6d Calderbank (2), King
032	endosulfan	1b, 2a, 2d, 2f, 3, 4 (XII-5,6; S5, S8, S12, S19; 50), 5, 7a (5, 6), 7c (S19), 5, 9a (M1, M12), 10 Abbott (2), Ambrus
033	endrin	1a, 1o, 2a, 2d, 2f, 3, 4 (XII-5, 6; S5, S9, S10, S12, S19), 5, 7a (5, 6), 7c (S9-10, S12, S19), 8a, 8b, 8c, 8d, 9a (M1, M12), 10 Abbott (2), Ambrus, Panel (4)
034	ethion	1a, 2a, 2c, 2d, 2f, 3, 4 (XII-3, 5, 6; S8, S9, S13, S17, S19), 7a (3, 5, 6), 7c (S8, S9, S13, S17, S19), 8e, 9a (M2, M5, M12), 10 Abbott (1), Ambrus, Stijve (7)
035	ethoxyquin	2d, 2e, 4 (XII-6; 500) Winell
036	fenchlorphos	1a, 2a, 2c, 2d, 2f, 3, 4 (XII-3, 5, 6; S8-10, S13, S17, S19), 7a (3, 5, 6), 7c (S8-10, S13, S17, S19), 8b, 8e, 9a (M2, M5), 10 Abbott (1), Ambrus, Panel (7, 8), Stijve (7)
037	fenitrothion	2a, 2c, 2d, 2f, 3, 4 (XII-3, 6; S5, S8, S13, S17, S19; 58), 6a, 8e, 9a (M2, M5), 10 Abbott (1), Ambrus, Bottomley, Desmarchelier, Panel (7,8), Stijve (7)

CCPR number	Compound	References
038	fensulfothion	2c, 2d, 2e, 3, 4 (XII-3, 6; S8, S13, S16, S17, S19), 6a, 7a (3, 6), 7c (S8, S13, S16, S17, S19), 9a (M2, M5), 10
039	fenthion	2c, 2d, 2e, 2f, 3, 4 (XII-3, 6; S5, S8, S13, S16, S17, S19), 7a (3, 6), 7c (S8, S13, S16, S17, S19), 8e, 9a (M2, M5), 10 Abbott (1), Ambrus, Hill
040	fentin	2e, 4 (S24; 55A, 55B), 6e Baker, PG (1)
041	folpet	2a, 2c, 2d, 3, 4 (XII-6; S8, S12, S19, S20; 91, 91A), 7a (6), 7b, 7c (S8, S12, S19, S20), 9a (M1, M12), 10 Ambrus, Baker, PB (1), Buettler, Gilvydis, Pomerantz
042	formothion	2d, 4 (XII-6; S5, S8, S19; 236), 6b, 7a (6), 7c (S8, S19), 9a (M2, M5, M12), 10 Abbott (1), Ambrus
043	heptachlor	1a, 1n, 1o, 2a, 2d, 2f, 3, 4 (XII-5, 6; S 1-4, S8-10, S12, S19), 5, 6c, 6d, 7a (5, 6), 7c (S8-10, S12, S19), 8a, 8b, 8c, 8d, 9a (M1, M12), 10 Abbott (2), Ambrus, Stijve (2, 3), Veierov
044	hexachlorobenzene	1k, 1o, 2a, 2d, 3, 4 (XII-1, 5, 6; S9, S10, S12, S19), 5, 6c, 7a (1, 5, 6), 7c (S9, S10, S12, S19), 8a, 8b, 8c, 8d, 9a (M1, M12), 10 Ambrus, Panel (4), Stijve (2, 3), Veierov, Zimmerli
045	hydrogen cyanide	2e, 4 (11), 9b Darr
046	hydrogen phosphide	2e, 4 (13), 9a (M8) Scudamore (2)
047	inorganic bromide	2e, 4 (S18; 149), 7c (S18), 9b Panel (2), Roughan, Stijve (1,4), VanWees
048	lindane	1a, 1o, 2a, 2d, 3, 4 (XII-5, 6; S1-5, S8-10, S12, S19), 5, 7a (5, 6), 7c (S8-10, S12, S19), 8a, 8b, 8c, 8d, 9a (M1, M12), 10 Abbott (2), Ambrus, Panel (4), Stijve (2,3), Veierov
049	malathion	1a, 2a, 2c, 2d, 2f, 3, 4 (XII-3, 5, 6; S5, S8, S10, S13, S17, S19; 72), 7a (3, 5, 6), 7c (S8, S10, S13, S17, S19), 8e, 9a (M2, M5, M12), 10 Abbott (1), Ambrus, Bottomley, Desmarchelier, Panel (1, 3, 7, 8), Stijve (7)
050	mancozeb	see 105: dithiocarbamates
051	methidathion	2a, 2c, 2d, 2e, 3, 4 (XII-6; S5, S8, S13, S19; 232), 6b, 7a (6), 7c (S8, S13, S19), 9a (M2, M5, M12), 10 Ambrus
052	methyl bromide	9a (M8) Mestres (2), Panel (5)
053	mevinphos	2c, 2d, 2f, 3, 4 (XII-3, 6; S5, S8, S13, S17, S19; 93), 7a (3, 6), 7c (S8, S13, S17, S19), 9a (M2, M5, M12), 10 Abbott (1), Ambrus
054	monocrotophos	1p, 2c, 2d, 2e, 2f, 4 (XII-6; S19), 7c (S19), 9a (M2, M5), 10 Ambrus

CCPR number	Compound	References
055	omethoate	1p, 2c, 2d, 4 (XII-6; S13, S17, S19; 236), 5, 7a (6), 7c (S13, S17, S19), 9a (M2, M5), 10 Abbott (1), Panel (3)
056	ortho-phenylphenol	2d, 2e, 10 Farrow, Kitada, Lord, Mestres (1), Player, Pyysalo
057	paraquat	2e, 4 (134), 6d, 7b Calderbank (1), Khan, King, Lott
058	parathion	1a, 2a, 2c, 2d, 2f, 3, 4 (XII-3, 4, 5, 6; S5, S8, S10, S13, S17, S19; 87A, 87B), 7a (3, 4, 5, 6), 7c (S8, S10, S13, S17, S19), 8e, 9a (M2, M5, M12), 10 Abbott (1), Ambrus, Panel (3)
059	parathion-methyl	1a, 2a, 2c, 2d, 2f, 3, 4 (XII-3, 5, 6; S5, S8, S13, S17, S19; 88A, 88B), 7a (3, 5, 6), 7c (S8, S13, S17, S19), 8e, 9a (M2, M5, M12), 10 Abbott (1), Ambrus, Panel (3)
060	phosalone	2a, 2c, 2d, 2e, 3, 4 (XII-5, 6; S8, S19), 5, 6a, 7a (5, 6), 7c (S8, S19), 9a (M2, M5, M12), 10 Abbott (1), Ambrus, Stijve (7)
061	phosphamidon	2c, 2d, 2e, 3, 4 (XII-6; S5, S13, S19), 7a (6), 7c (S13, S19), 9a (M5, M12), 10 Abbott (1), Ambrus, Bottomley
062	piperonyl butoxide	2e, 4 (XII-6; S19, S22; 163), 7a (6), 7c (S19), 9b Krause (2)
063	pyrethrins	2a, 2d, 2e, 4 (XII-6; S19, S22), 6b, 7a (6), 7c (S19), 9b
064	quintozene	2a, 2d, 2f, 3, 4 (XII-4, 5, 6; S8, S9, S12, S19; 99), 7a (4, 5, 6), 7c (S8, S9, S12, S19), 9a (M1, M12), 10
065	thiabendazole	2d, 2e, 2h, 4 (XII-6; 256A, 256B), 7d (256A, 256B), 8g, 9a (M3), 10 Farrow, Kitada, Mestres (1, 3), Rajzman, Yamada
066	trichlorfon	2c, 2d, 2e, 2f, 3, 4 (XII-6; S5, S13, S19; 112), 5, 7a (6), 7c (S13, S19), 8e, 9a (M2, M5, M12) Abbott (1), Ambrus, Bottomley
067	cyhexatin	2e, 4 (S24), 6a, 9b Moellhoff (2)
068	azinphos-ethyl	2c, 2d, 4 (XII-3, 5, 6; S5, S8, S13, S17, S19; 62, 62A), 7a (3, 5, 6), 7c (S8, S13, S17, S19), 9a (M2, M5, M12), 10 Abbott (1), Ambrus
069	benomyl	see 072: carbendazim
070	bromopropylate	2a, 2d, 4 (XII-6; S19), 7a (6), 7c (S19), 9a (M12), 10 Stijve (6)
071	camphechlor	2a, 2d, 2e, 4 (XII-5, 6; S9, S19), 7a (5, 6), 7c (S9, S19) Stijve (2)

CCPR number	Compound	References
072	carbendazim	2e, 2h, 4 (261, 378), 6a, 6d,7d (261, 370, 378) 9a (M3), 10 Ambrus, Farrow, Mestres (3), VanHaver
073	demeton-S-methyl	2d, 2f, 4 (XII-6; S5, S13, S16, S19), 7a (6), 7c (S13, S16, S19),9a (M2, M5), 10 Abbott (1), Ambrus, Hill, Wagner
074	disulfoton	2a, 2c, 2d, 2e, 2f, 3, 4 (XII-3, 6; S5, S8, S13, S16, S17, S19), 7a (3, 6), 7c (S8, S13, S16, S17, S19), 8e, 9a (M2, M5) Abbott (1), Ambrus, Panel (7)
075	propoxur	1e, 2d, 2g, 4 (XII-6; S19; S25; 216), 6a, 7a (6), 7c (S19), 9a (M2, M13), 10 Ambrus, Brauckhoff, Chaput, Lawrence (1)
076	thiometon	2d, 4 (XII-6; S13), 6b, 7a (6), 7c (S13), 9a (M2, M5, M10, M12) Abbott (1), Ambrus, Hill
077	thiophanate-methyl	2e, 2h, 4 (261), 5, 7d(261, 370, 378), 9a (M3), 10 Ambrus, Mestres (3), VanHaver
078	vamidothion	4 (XII-3,6; S17), 6a, 7a (3,6), 7c (S17), 9a (M2, M5, M10)
079	amitrole	2e(4A), 7d(4A) Galoux, Lokke (1), v.d.Poll
080	chinomethionate	2d, 2e, 4 (XII-6; S19; 189), 7a (6), 7c (S19), 9b, 10 Ambrus, Francoeur, Krause (1), Tjan
081	chlorothalonil	2a, 2d, 2e, 3, 4 (XII-6; S19), 6b, 7a (6), 7c (S19), 9a (M1, M12), 10 Ambrus, Lokke (2)
082	dichlofluanid	2a, 2d, 4 (XII-6; S8, S12, S19; 203; 203A, 203 -(371)), 7a (6), 7c (S8, S12, S19), 7d(203, 371, 203A, 371A), 9a (M1, M12), 10 Ambrus, Lokke (2), Brennecke (4)
083	dicloran	2d, 3, 4 (XII-6; S19), 7a (6), 7c (S19), 9a (M1), 10 Ambrus
084	dodine	2e Newsome (1)
085	fenamiphos	2c, 2d, 2e, 4 (XII-6; S8; S16; S19), 7a (6), 7c (S16, S19), 9a (M5, M12) Hill
086	pirimiphos-methyl	2a, 2c, 2d, 2e, 4 (XII-6; S8, S19; 476), 6b, 7a (6), 7c (S8, S19), 9a (M2, M5, M12), 10 Ambrus, Desmarchelier, Panel (7, 8), Stijve (7)
087	dinocap	2a, 2d, 2e, 4 (XII-6; S19; 68), 7a (6), 7c (S19), 9a (M9), 9b Ambrus
088	leptophos	withdrawn
089	sec-butylamine	2e, 6b Day, Hunter, Scudamore (1)
090	chlorpyrifos-methyl	2c, 2d, 4 (XII-6; S8, S19), 7a (6), 7c (S19), 9a (M2, M5), 10 Ambrus, Bottomley, Desmarchelier, Panel (4,8), Stijve (7)

CCPR number	Compound	References
091	cyanofenphos	2d, 4 (XII-6; S8, S19), 7a (6), 7c (S19), 9a (M2, M5), 10
092	demeton	2c, 2d, 2e, 4 (XII-6; S5, S16), 7a (6), 7c (S16), 9a (M5) Abbott (1)
093	bioresmethrin	6c, 6d, 9a (M11) Baker, PG (2), Bottomley
094	methomyl	1q, 2d, 2e, 2g, 4 (299), 6a, 7b, 9a (M13) Ambrus, Chaput
095	acephate	1p, 2c, 2d, 2e, 4 (XII-6; S19; 358), 6a, 7a (6), 7b, 7c (S19), 9a (M5, M12), 10
096	carbofuran	1e, 1q, 2e, 2g, 3, 4 (XII-6; S25), 6a, 7a (6), 7d(658, 344). 9a (M13), 10 Ambrus, Brauckhoff, Chaput, Lawrence(1), Moellhoff (1) Leppert (1, 2)
097	cartap	Official Gazette
098	dialifos	2a, 2d, 2e, 4 (XII-6; S19; 281), 7a (6), 7c (S19), 9a (M2, M5, M12), 10
099	edifenphos	2d, 4 (XII-6; S19), 7a (6), 7c (S19)
100	methamidophos	1p, 2c, 2d, 3, 4 (XII-6; S19; 358, 365), 5, 6a, 7a (6), 7c (S19), 9a(M5), 10
101	pirimicarb	2d, 4 (XII-6; S19; 309), 5, 6a, 7b, 10
102	maleic hydrazide	1m, 4 (297) Lane, Newsome (3)
103	phosmet	2c, 2d, 4 (XII-6), 7a (6), 9a (M2, M5, M12), 10 Ambrus
104	daminozide	2e, 6b Allen (2), Newsome (5), Saxton, Wright, Conditt
105	dithiocarbamates	2e, 3, 4 (S15, S21), 7c (S21), 9b Newsome (2), Panel (6), Ott
106	ethephon	2e, 9b Cochrane
107	ethiofencarb	2d, 2g, 4 (S25; 393), 9a (M13), 10
108	ethylene thiourea	1j, 4 (389), 7b, 9b Panel (9), Hirvi, Otto, Rosenberg
109	fenbutatin oxide	2e, 4 (S24), 6d Sano
110	imazalil	2d, 2e, 4 (XII-6; S19)
111	iprodione	2c, 2d, 2e, 4 (XII-6; S8, S19; 419), 6e, 7a (6), 7c (S8, S19), 9a (M1, M12), 10
112	phorate	2a, 2c, 2d, 2e, 4 (XII-3, 6; S8, S13, S16, S17, S19), 7a (3, 6), 7c (S8, S13, S16, S17, S19), 9a (M2, M5) Abbott (1), Ambrus, Hill

CCPR number	Compound	References
113	propargite	2a, 2d, 2e, 3, 4 (XII-6), 6a, 7a (6), 9a (M1) Ambrus
114	guazatine	Kobayashi
115	tecnazene	2a, 2d, 2e, 3, 4 (XII-6; S8, S12, S19; 108), 7a (6), 7c (S8, S12, S19), 9a (M1), 10
116	triforine	2e, 4 (338), 6d, 9b Bourke, Newsome (4)
117	aldicarb	1q, 2e, 2g, 4 (XII-6; 250), 6a, 7a (6), 9a (M10, M13), 10 Ambrus, Chaput
118	cypermethrin	2a, 2d, 4 (XII-6; S19, S23), 6g, 7a (6), 7c (S19), 9a (M11), 10 Ambrus, Baker, PG (2), Bottomley
119	fenvalerate	2a, 2d, 2e, 4 (XII-6; S19, S23), 6g, 7a (6), 7c (S19), 9a (M11), 10 Ambrus, Baker, PG (2), Bottomley
120	permethrin	2a, 2d, 2e, 4 (XII-6; S19, S23), 6g, 7a (6), 7c (S19), 9a (M11), 10 Ambrus, Baker, PG (2), Bottomley
121	2,4,5-T	2b, 4 (XII-6; 105), 6c, 7a (6), 9a (M6) Ebing, Lokke (3), Specht (1)
122	amitraz	2e, 4 (XII-6), 7a (6), 9b
123	etrimfos	2a, 2c, 2d, 4 (XII-6; S8, S19), 7a (6), 7c (S19), 6e, 9a (M2, M5) Ambrus, Bottomley, Panel (8)
124	mecarbam	2c, 2d, 4 (XII-6; S19), 6b, 7a (6), 7c (S19), 9a (M2), 10 Abbott (1)
125	methacrifos	4 (XII-6), 7a (6) Ambrus, Desmarchelier, Panel (7, 8)
126	oxamyl	1q, 2e, 2g, 4 (XII-6; 441), 5, 7a (6), 7d (441), 9a (M13), 10 Ambrus
127	phenothrin	4 (XII-6), 7a (6), 9 Baker, PG (2), Bottomley
128	phenthoate	2a, 2c, 2d, 4 (XII-6; S19), 6b, 7a (6), 7c (S19), 9a (M11), 10 Ambrus
129	azocyclotin	4 (S24) Moellhoff (2)
130	diflubenzuron	2e, 6d, 6f, 9a (M4) Austin
131	isofenphos	2a, 2c, 2d, 2e, 4 (XII-6; S8), 7a (6), 9a (M5, M12), 10
132	methiocarb	1q, 2d, 2g, 4 (79, 79A), 9a (M2, M13), 10 Chaput
133	triadimefon	2d, 2e, 4 (XII-6; S8, S19; 425-(605)), 7a (6), 7c (S8, S19), 7d (613, 425, 605) 10 Ambrus, Brennecke (2), Ragab

CCPR number	Compound	References
134	aminocarb	2d, 10 Brauckhoff
135	deltamethrin	2a, 2d, 4 (XII-6; S19, S23), 6g, 7a (6), 7c (S19), 9a (M11) Ambrus, Baker, PG (2), Bottomley
136	procymidone	2a, 2d, 4 (XII-6; S8, S19), 7a (6), 7c (S8, S19), 10
137	bendiocarb	2d, 2g, 6d, 4 (XII-6), 7a (6), 9a (M2, M13) Ambrus
138	metalaxyl	2c, 2d, 2e, 4 (XII-6; S8, S19; 517), 7a (6), 7b, 7c (S19), 9a (M4), 10 Ambrus
139	butocarboxim	2g, 9a (M13) Aharonson, Brauckhoff, Li, Muszkat
140	nitrofen	1a, 2a, 2d, 2e, 4 (XII-6; S19; 340), 6d, 7a (6), 7b, 7c (S19) Adler, Ambrus, Yu
141	phoxim	2d, 4 (XII-6; S19; 307), 7a (6), 7c (S19), 9a (M2, M12) Ambrus
142	prochloraz	2d Maclaine Pont, Somerville
143	triazophos	2c, 2d, 4 (XII-4,6; S8, S19; 401), 6d, 7a (6), 7c (S19), 9a (M2, M5, M12), 10 Ambrus
144	bitertanol	2d, 4 (XII-6; S19; 613; 613A), 7a (6), 7c (S19), 7d (613A, 426, 605), 9a (M12) Brennecke (1,3)
145	carbosulfan	2d, 4 (658 - (344)) Leppert (1,2)
146	cyhalothrin	2d, 6g
147	methoprene	2e, 6d
148	propamocarb	Gentile
149	ethoprofos	2c, 2d, 2e, 4 (XII-6; S8, S19), 7a (6), 7b, 7c (S19), 9a (M2, M5) Ambrus
150	propylene thiourea	Lembo, Nitz
151	dimethipin	2e
152	flucythrinate	2d, 2e
153	pyrazophos	2d, 4 (XII-4,6; S8, S19; 328), 6d, 7a (6), 7b, 7c (S19), 9a (M2, M5, M12), 10
154	thiodicarb	2g
155	benalaxyl	4 (S19) not published yet
156	clofentezine	Bichi, Snowdon

CCPR number	Compound	References
157	cyfluthrin	2d, 4 (S23), 9a (M11)
158	glyphosate	2e, 4 (405), 6h, 7d (405) 9b Cowell, Tuinstra, Wigfield
159	vinclozolin	2a, 2d, 4 (XII-6; S8, S19; 412), 9a (M1, M12)
160	propiconazole	2d, 4 (S19; 624), 7d (624)
161	paclobutrazol	2d Reed
162	tolyfluanid	2d, 4 (XII-6; S 8; S19: 371; 203- (371)), 7c (S8, S19), 7d (203A,371A) 9a (M1,M12) Brennecke (4) Specht (2), Anderson
163	anilazine	4 (XII-6; S19: 186), 7c (S19), 7d (186) 2d, 2e Lawrence(2), Brennecke(5)
164	demeton-S-methyl-sulphone	4(XII-6, S16, S19), 7c (S16), 9a (M5), 2d, 2e Andersson, Thornton, Wagner
165	flusilazole	2d, 4(S19)(only parent compound)
166	oxydemeton-methyl	4(XII-6, S16, S19), 7c (S16), 9a (M5), 2c, 2d, 2e Thornton, Wagner
167	terbufos	4 (S8; S19), 9a(M5) (Only parent compound), 2c, 2d, 2e Westcott
168	triadimenol	4 (XII-6, S19, 425 - (605)) 7a (6), 7c (S19), 9a (M12), 2d Allmendinger, Andersson, Brennecke (2), Ragab, Mendes
169	cyromazine	2e Cabras, Bardalaye
170	hexaconazole	2d, 11
171	profenofos	2c, 2d, 2e Andersson
172	bentazone	2e Cessna, Hogendoorn
173	buprofezin	Nishizawa JAOAC accepted for publication, Ishii (1)
174	cadusafos	2d
175	glufosinate-ammonium	4 (651), 7d (651)
176	hexathiazox	2e
177	abamectin	2e Prabhu, Vuik
178	bifentrin	2a,2e
179	cycloxydim	
180	dithianon	Baker, Kadenczki

CCPR number	Compound	References
181	myclobutanil	2e
182	penconazole	2d
183	propham	2d, 4 (s11), 6e (343-350) 7c (S11)
184	ethofenprox	
185	fenpropathrin	2, 7d (S23) Nakamura
186	metiram	see 105: dithiocarbamates
187	clethodim	
188	fenpropimorph	Kadenczki, v. Zoonen, Dieckmann, Lafuente (1,2), Tadeo
189	tebuconazole	7c(S19) Brennecke (6), Allmendinger, Maasfeld
190	teflubenzuron	
191	tolclofos-methyl	4 (s19), 7a (6), 7c (s19), 7d (S8) Becker, Ishii, Stan, Philips

3. REFERENCES TO LITERATURE

3.1. GENERAL ARTICLES

The following papers or books deal with general problems in pesticide residue analysis (cf also the manuals referred to in par. 3.2):

- Ambrus, A. & Thier, H.-P., Application of multi-residue procedures in pesticides residues analysis, *Pure Appl. Chem.*, 58, 1035-1062 (1986).
- Beck, H., Untersuchungsmethoden zur Bestimmung der Rückstände von Chlorkohlenwasserstoff-Pestiziden in oder auf Lebensmitteln, *Bundesgesundheitsblatt*, 17, 269-274 (1974).
- Becker, G. et al., Dünnschichtchromatographie in der Rückstandsanalytik von Pflanzenschutzmitteln und deren Metaboliten, Verlag Chemie VCH, Weinheim, FRG (1987).
- Burke, J.A., The interlaboratory study in pesticide residue analyses, in: *Advances in Pesticide Science*, H. Geissbuehler (edit.), Pergamon Press, Oxford, UK, 633-642 (1979).
- Carl, M., Internal laboratory quality control in the routine determination of chlorinated pesticides, in: *Advances in Pesticide Science*, H. Geissbuehler (edit.), Pergamon Press, Oxford, UK, 660-663 (1979).
- Cochrane, W.P., *Chemical derivatization in pesticide analysis*, Plenum Press, New York, N.Y., USA, (1981).
- Egli, H., Storage stability of pesticide residues, *J. Agr. Fd. Chem.*, 30, 861-866 (1982)
- Frehse, H. & Timme, G., Quantitative residue analytical reliability: beatitude through the application of latitude, *Res. Revs.*, 73, 27-47 (1980).
- Gunther, F.A., Interpreting pesticide residue data at the analytical level, *Res. Revs.*, 76, 155-171 (1980).
- Horwitz, W., The role of the analyst in analytical chemistry, *FDA Bylines*, 4, 169-178 (1979).
- Horwitz, W., The inevitability of variability in pesticide residue analysis, in: *Advances in Pesticide Science*, H. Geissbuehler (edit.), Pergamon Press, Oxford, UK, 649-655 (1979).
- Horwitz, W. et al., Quality assurance in the analysis of foods for trace constituents, *JAOAC*, 63, 1344-1354 (1980).
- Horwitz, W., Evaluation of analytical methods used for regulation of foods and drugs, *Anal. Chem.*, 54, 67A-76A (1982).
- ISO Document ISO 5725, 2nd edit. (1986), Precision of test methods: determination of repeatability and reproducibility
- IUPAC Reports on Pesticides (13), Development and evaluation of simplified approaches to residues analysis, *Pure Appl. Chem.*, 53, 1039-1049 (1981).
- Moye, H.A. (edit.), *Analysis of pesticide residues*, Vol. 58 of: *Chemical Analysis*, John Wiley and Sons, New York, N.Y., USA (1981).
- Pesticide Residue Analysis, Health Aspects of Chemical Safety*, Interim Document 14, WHO, Regional Office for Europe, Copenhagen, Denmark (1984).
- Safe, S. & Hutzinger, O., *Mass spectrometry of pesticides and pollutants*, CFC Press Inc., Boca Raton, Florida, USA (1979).

- Smart, N., Samples used for interlaboratory studies of methods for pesticide residues analysis in foodstuffs, *Res. Revs.*, 96, 1-12 (1985).
- Steiner, E.H., Planning and analysis of results of collaborative tests, in: *Statistical Manual of the AOAC*, Washington, D.C., USA (1974).
- The Agrochemical Handbook, The Royal Society of Chemistry, The University, Nottingham, UK, (1983).
- Thier, H.-P. & Frehse, H., *Rückstandsanalytik von Pflanzenschutzmitteln*, Georg Thieme Verlag, Stuttgart - New York (1986).
- Youden, W.J., Statistical techniques for collaborative tests, in: *Statistical Manual of the AOAC*, Washington, D.C., USA (1974).
- Zweig, G. (edit.), *Analytical methods for pesticides, plant growth regulators and food additives* Academic Press, New York - San Francisco - London, Vol. XIV and XV (1986).

3.2. MANUALS

(1) Official Methods of AOAC INTERNATIONAL, 16th edition (1995)

- (a) 970.52
- (b) 976.23
- (d) 977.18
- (e) 975.40
- (j) 978.16
- (k) 977.19
- (l) 960.43
- (m) 963.24
- (n) 983.21
- (o) 984.21
- (p) 985.22
- (q) 985.23

(2) Pesticide Analytical Manual, Food and Drug Administration, Washington, D.C., USA

	2nd edition	3rd edition
(a)	Vol. I, Table 201-A and sections, 211.1, 212.1, 231.1, 232.1 and 252	nonfat foods: Section 303 fatty foods: Section 304, E1-E5+C1-C4
(b)	Vol. I, Table 201-D and section 221.1	Section 402
(c)	Vol. I, Table 201-H and section 232.3	[method not in PAM I 3rd edition]
(d)	Vol. I, Table 201-I and section 232.4	Section 302 E1-E4, no cleanup
(e)	Vol. II, Method under compound name (when in this reference several methods have been given, they are generally listed in order of preference)	
(f)	Vol. I, Table 651-A and sections 650 and 651	[not in PAM I 3rd edition]
(g)	Vol. I, Table 242.2-1 and section 242.2	Section 401
(h)	Vol. I, Section 242.3	Section 404

- (3) Manual on Analytical Methods for Pesticide Residues in Foods, Health Protection Branch, Health and Welfare Canada, Ottawa, Ont., Canada (1985) (available in English and French)
- (4) Methodensammlung zur Rückstandsanalytik von Pflanzenschutzmitteln, 1.- 11. Lieferung, VCH Verlagsgesellschaft, Weinheim, FRG (1991) (the numbers in parentheses refer to the numbers of the methods in this manual; methods preceded by "S" are multi-residue methods; the manual is also available in English, see ref. 7).
- (5) Laboratory Manual for Pesticide Residues Analysis in Agricultural Products, compiled by R.B. Maybury, Pesticide Laboratory, Food Production and Inspection Branch, Agriculture Canada, Ottawa, Ont., Canada (1984) (available in English and French).
- (6) Zweig, G. (edit.), Analytical Methods for Pesticides, Plant Growth Regulators, Academic Press, New York - San Francisco - London
 - (a) Vol. VII (1974)
 - (b) Vol. VIII (1976)
 - (c) Vol. IX (1977)
 - (d) Vol. X (1978)
 - (e) Vol. XI (1980)
 - (f) Vol. XII (1982) (Lawrence J.F. Editor)
 - (g) Vol. XIII (1984) (Zweig, G. and Sherma, J. Editors)
 - (h) Vol. XVI (1988) (Sherma, J. Editor)
- (7) Manual of Pesticide Residue Analysis, Deutsche Forschungsgemeinschaft, VCH Verlagsgesellschaft, Weinheim, FRG (1987) (English translation of ref. 4)
 - (a) Vol. I, Section Clean-up Methods (the numbers in parentheses refer to the numbers of the clean-up methods in this volume)
 - (b) Vol. I, Section Individual Pesticide Residue Analytical Methods
 - (c) Vol. I, Section Multiple Pesticide Residue Analytical Methods (the numbers in parentheses refer to the numbers of the multi-residue methods in this volume)
 - (d) Vol. II (1992).
- (8) Chemistry Laboratory Guidebook, United States Department of Agriculture, Food Safety and Inspection Service, Science Program, Washington, D.C., USA
 - (a) Section 5.001
 - (b) Section 5.002
 - (c) Section 5.003
 - (d) Section 5.004
 - (e) Section 5.006
 - (f) Section 5.005
 - (g) Section 5.050
- (9) Analytical Methods for Residues of Pesticides in Foodstuffs, P.A. Greve (edit.), 5th edition, Government Publishing Office, The Hague, Netherlands (1988)
 - (a) Part I: Multi-residue Methods (the numbers in parentheses refer to numbers of the multi-residue methods in this volume)
 - (b) Part II: Special Methods (methods given under compound name)
- (10) Materials and Methods Used for Pesticide Residues Monitoring in Sweden, Vår Föda, 38, Suppl.2, 79-136 (1986)
- (11) Comprehensive Analytical Profiles of Important Pesticides (Modern methods for pesticides analysis) e.d. J. Sherma & T Cairns 1992.

3.3. INDIVIDUAL PAPERS

The numbers in italics after the references refer to the compounds, indicated by their CCPR-number, to which the methods involved apply.

Abbott (1), D.C. et al., *Pest. Sci.*, 1, 10-13 (1970)

Pesticide residues in the total diet in England and Wales, 1966-1967; Part III: Organophosphorus pesticide residues in the total diet

2, 4, 5, 11, 14, 22, 25, 27, 28, 34, 36, 37, 39, 42, 49, 53, 55, 58, 59, 60, 66, 68, 73, 74, 76, 92, 112, 124

Abbott (2), D.C. et al., *J. Chromatog.*, 16, 481-487 (1964)

Some observations on the thin-layer chromatography of organochlorine pesticides

1, 21, 32, 33, 43, 48

Adachi, K. et al., *JAOAC*, 67, 798-800 (1984)

Simple analytical method for organophosphorus pesticide determination in unpolished rice, using removal of fats by zinc acetate

22, 27, 37, 49, 58, 128

Adler, I.L. & Wargo Jr, J.P., *JAOAC*, 58, 551-553 (1975)

Determination of residues from the herbicide 2,4-dichloro-1-(4-nitrophenoxy)-benzene in rice and wheat by electron-capture gas-liquid chromatography

140

Aharonson, N. & Muszkat, L., *Z. Lebensm. Unters. Forsch.*, 180, 96-100 (1985)

Direct gas chromatographic determination of the two isomeric insecticides, aldicarb and butocarboxime and their toxic metabolites: application to residue analysis in crops and leaves

117, 139

Allen (1), J.G. & Hall, K.J., *J. Agr. Fd. Chem.*, 28, 255-258 (1980)

Methods for the determination of diphenylamine residues in apples

30

Allen (2), J.G., *Pest. Sci.*, 11, 347-350 (1980)

Daminozide residues in sweet cherries, and their determination by colorimetric and gas-liquid chromatographic methods

104

Allmendinger, H. *Pflanzensch. Nachr. Bayer*, 44, 5-66 (1991)

A method for determining residues of the fungicides folicur and Bayfidan in plant material and soil by gas chromatography.

168, 189

Ambrus, A. et al., *JAOAC*, 64, 733-768 (1981)

General method for determination of pesticide residues in samples of plant origin, soil, and water

1, 2, 4, 6, 7, 8, 14, 17, 21, 22, 25, 27, 32, 33, 37, 39, 41, 42, 43, 48, 49, 51, 53, 54, 58, 59, 60, 61, 66, 72, 73, 74, 75, 76, 77, 80, 81, 82, 83, 86, 87, 94, 96, 101, 103, 112, 113, 117, 118, 119, 120, 123, 128, 133, 135,

137, 140, 141, 143, 159

Andersson, A and Ohlin, B. *Vår Föda* 38, 79-109 (1986)

A capillary gaschromatographic multiresidue method for the determination pesticide residues in fruit and vegetables.

162, 164, 168, 171

- Austin, D.J. & Hall, K.J., *Pest. Sci.*, 12, 495-502 (1981)
A method of analysis for the determination of binapacryl, bupirimate and diflubenzuron on apple foliage and fruit, and its application to persistence studies
3, 130
- Baker, P.B. (1) & Flaherty, B., *Analyst*, 97, 713-718 (1972)
Fungicide residues; Part II: The simultaneous determination of residues of folpet, captan and captafol in selected fruits by gas chromatography
6, 7, 41
- Baker, P.B. (2) & Hoodless, R.A., *Analyst*, 98, 172-175 (1973)
Fungicide residues; Part III: The determination of binapacryl in selected fruits by gas chromatography
3
- Baker, P.G. (1) et al., *Analyst*, 105, 282-285 (1980)
Fungicide residues; Part VII: Determination of residues of fentin in vegetables and cocoa products by spectrofluorimetry
40
- Baker, P.G. (2) & Bottomley, P., *Analyst*, 107, 206-212 (1982)
Determination of residues of synthetic pyrethroids in fruit and vegetables by gas-liquid and high-performance liquid chromatography
93, 118, 119, 120, 127, 135
- Baker, P.G. & Clarke, P.G., *Analyst* 109, 81-83 (1984)
Determination of residues of dithianon in apples by HPLC
- Bardalaye, C, Wheeler, W.B. & Meister C.W. *JAOAC* 70, 455-457 (1987)
Gas chromatographic determination of cyromazine and its degradation product melamine in chinese cabbage.
169
- Becker, G., Schug, P., *Deutsche Lebensm. Rundschau* 86, 239-242 (1990)
Eine miniaturmethode zur schnellen Bestimmung von Pestizidrückständen in pflanzlichen Lebensmitteln.
191
- Bichi, C. et al. *Pestic. Sci.* 30, 13-19 (1990)
Simultaneous determination of clofentezine, fenoxycarb and hexthiazox by HPLC on apples, pears and their pulps
156
- Bottomley, P. & Baker, P.G., *Analyst*, 109, 85-90 (1984)
Multi-residue determination of organochlorine, organophosphorus and synthetic pyrethroid pesticides in grain by gas-liquid and high-performance liquid chromatography
1, 4, 21, 22, 25, 37, 44, 49, 61, 66, 86, 90, 93, 118, 119, 120, 123, 127, 135
- Bourke, J.B. et al., *J. Agr. Fd. Chem.*, 25, 36-39 (1977)
Residues and disappearance of triforine from various crops
116
- Brauckhoff, S. & Thier, H.-P., *Z. Lebensm. Unters. Forsch.*, 184, 91-95 (1987)
Analysenmethode für Rückstände von Methylcarbamat-Insecticiden in pflanzlichen Lebensmitteln
8, 75, 94, 96, 101, 107, 117, 132, 134, 137, 139

- Brennecke (1), R., Pflanzensch. Nachr. Bayer, (Engl. edit.)38, 33-54 (1985)
Method for gas-chromatographic determination of residues of Baycor fungicide in plant material, soil and water (Engl. edit.: 38, 33-54 (1985))
144
- Brennecke (2), R., Pflanzensch. Nachr. Bayer, 37, 68-93 (1984)
Method for gas-chromatographic determination of residues of Bayleton and Bayfidan fungicides in plant material, soil and water (German edit.: 37, 66-91 (1984))
133, 168
- Brennecke (3), R., Pflanzensch. Nachr. Bayer, 41, 113-131 (1988)
Method for the determination of residues of the fungicide Baycor in plant material and beverages by high pressure liquid chromatography with fluorescence detection (German edit.: 41, 113-135 (1988))
144
- Brennecke (4), R., Pflanzensch. Nachr. Bayer, 41, 137-174 (1988).
A method for the determination of residues of the fungicides Euparen and Euparen M in plant material and beverages by gaschromatography (German edit. 41, 136-172 (1988)).
82, 162
- Brennecke (5), R., Pflanzensch. Nachr. Bayer, 38, 11-32 (1985)
Method for gas-chromatographic determination of Dyrene residues in plant material, soil and water (German edit.: 38, 11-32 (1985)).
163
- Brennecke (6), R., Pflanzensch. Nachr. Bayer, 42, 223-284 (1989) German edit.
A method for determining residues of the fungicides Euparen, Euparen M and Folicur in plant material and beverages by gaschromatography.
189
- Buettler, B. & Hoermann, W.D., J. Agr. Fd. Chem., 29, 257-260 (1981)
High-pressure liquid chromatographic determination of captan, captafol, and folpet residues in plant material
6, 7, 41
- Cabras, P., Meloni, M., & Spaneddal, J. Chromatogr. 505, 413-416 (1990)
High-performance liquid chromatographic separation of cyromazine and its metabolite melamine.
169
- Calderbank (1), A. & Yuen, S.H., Analyst, 90, 99-106 (1965)
An ion-exchange method for determining paraquat residues in food crops
57
- Calderbank (2), A. & Yuen, S.H., Analyst, 91, 625-629 (1966)
An improved method for determining residues of diquat
31
- Cessna, A.J. J.Agr.Fd.Chem. 33, 108-110 (1985)
Gas chromatographic analysis of the herbicide bentazone in leeks
172
- Chaput, D. JAOAC, 71, 542-546, (1988)
Simplified multiresidue method for liquid chromatographic determination of N-methylcarbamate insecticides in fruits and vegetables.
8, 75, 94, 96, 117, 132

- Cochrane, W.P. et al., JAOAC, 59, 617-621 (1976)
Gas-liquid chromatographic analysis of ethephon and fenoprop residues in apples and their decline before and after harvest
106
- Conditt, M et al, JAOAC, 71, 735-739 (1988).
Gas chromatography/mass spectrometric determination of daminozide in high protein food products.
104
- Cowell, J.E., Kunstman, J.L., Nord, P.J., Steinmetz, J.R. and Wilson, G.R. J. Agric. Fd. Chem. 34, 955-960 (1986)
Validation of an analytical method for analysis of glyphosate and Metabolite: An interlaboratory study
158
- Daft, J.L., JAOAC, 66, 228 (1983)
Gas chromatographic determination of fumigant residues in stored grains, using isooctane partitioning and dual column packings
10, 23, 24
- Day, E.W. et al., JAOAC, 51, 39-44 (1968)
Determination of sec-butylamine residues in fruit
89
- Desmarchelier, J. et al., Pest. Sci., 8, 473-483 (1977)
A collaborative study of residues on wheat of chlorpyrifos-methyl, fenitrothion, malathion, methacrifos and pirimiphos-methyl
37, 49, 86, 90, 125
- Dieckmann H. et al, Fresenius J. Anal. Chem. 345, 784-786 (1993)
Simultaneous determination of fenpropimorph and the corresponding metabolite fenpropimorphic acid in soil.
188
- Ebing, W. et al., Lebensm. gerichtl. Chem., 39, 126-130 (1985)
Zur Rückstandsanalytik von Phenoxyalkancarbonsäure-Herbiziden in Getreidekörnern
20, 121
- Farrow, J.E. et al., Analyst, 102, 752-758 (1977)
Fungicide residues; Part VI: Determination of residues of post-harvest fungicides on citrus fruit by high-performance liquid chromatography
29, 56, 65, 72
- Francoeur, Y. & Mallet, V., JAOAC, 59, 172-173 (1976)
Determination of quinomethionate (6-methylquinoline-2,3-diyldithiocarbamate) residues in crops by in situ fluorimetry
80
- Galoux, M. et al., JAOAC, 65, 24-27 (1982)
Colorimetric determination of 3-amino-1,2,4-triazole in grain or meal
79
- Gentile, I.A. & Passera, E., J. Chromatog., 236, 254-257 (1982)
Separation and detection of propamocarb by thin-layer chromatography
148

- Gilvydis, D.M. & Walters, S.M., JAOAC, 67, 909-912 (1984)
Determination of captan, folpet, and captafol in fruits and vegetables, using two multiresidue methods
6, 7, 41
- Heikes, D.L., JAOAC, 68, 431-436 (1985)
Purge and trap method for determination of ethylene dibromide in table-ready foods
23
- Hill, A.R.C. et al., Analyst, 109, 483-487 (1984)
Organophosphorus sulphides, sulphoxides and sulphones; Part I: Determination of residues in fruit and vegetables by gas-liquid chromatography
38, 39, 73, 74, 76, 85, 112
- Hirvi, T. et al., J. Agr. Fd. Chem., 27, 194-195 (1979)
A glass capillary gas-liquid chromatography method for determining ethylenethiourea without derivatization
108
- Hogendoorn, E.A. and Goewie, C.E. J. Chromatogr. 475, 432-441 (1989)
Residue analysis of the herbicides cyanazine and bentazone in sugar maize and surface water using high-performance liquid chromatography and an on-line clean-up column-switching procedure
172
- Hunter, K. & Lindsay, D., Pest. Sci., 12, 319-324 (1981)
High-pressure liquid chromatographic determination of sec-butylamine residues in potatoes
89
- Ishii, Y. (1) et al., J. Pest. Sci., 15, 205-209 (1990)
Clean up procedure for determination of pesticide residues in crops using charcoal - Florisil mini column
- Ishii, Y. (2) et al., J. Pest. Sci. 15, 231-236 (1990)
Residue analysis of organochlorine pesticides by GC equipped with a Hall electrolytic conductivity detector (Halogen mode)
191
- Kadenczki, L., et al, JAOAC 75, 53-61 (1992)
Column extraction of residues of several pesticides from fruits and vegetables: A simple multi residue analysis method
188
- Khan, S.U., Bull. Envir. Cont. Tox., 14, 745-749 (1975)
Determination of paraquat residues in food crops by gas chromatography
57
- King, R.R., J. Agr. Fd. Chem., 26, 1460-1463 (1978)
Gas chromatographic determination of diquat residues in potato tubers
31
- Kitada, Y. et al., JAOAC, 65, 1302-1304 (1982)
Simultaneous liquid chromatographic determination of thiabendazole, o-phenylphenol, and diphenyl residues in citrus fruits, without prior cleanup
29, 56, 65
- Kobayashi, H. et al., J. Pest. Sci., 2, 427-430 (1977)
Gas chromatographic determination of guanidino fungicide, guazatine, in rice grain
114

- Krause (1), R.T. & August, E.M., JAOAC, 66, 1018-1022 (1983)
Applicability of a multiresidue method and high performance liquid chromatography for the determination of chinomethionate in apples and oranges
80
- Krause (2), R.T. & August, E.M., JAOAC, 66, 234-240 (1983)
Applicability of a carbamate insecticide multiresidue method for determining additional types of pesticides in fruits and vegetables
62
- Lafuente (1) M.T. et al, JAOAC 69, 859-862 (1986)
GC determination of fenpropimorph residues in citrus fruit
188
- Lafuente (2) M.T. et al, Fres. J. Anal. Chem. 328, 105-107 (1987)
GLC multiresidue analysis of postharvest fungicides in citrus fruit
188
- Lane (1), J.R., JAOAC, 46, 261-268 (1963)
Collaborative study of maleic hydrazide residue analysis
102
- Lane (2), J.R., JAOAC, 48, 744-748 (1965)
Collaborative study of maleic hydrazide residue analysis
102
- Lawrence(1), J.F., J. Agr. Fd. Chem., 25, 211-212 (1977)
Direct analysis of some carbamate pesticides in foods by high-pressure liquid chromatography
8, 75, 96
- Lawrence (2), J.F. & Panopio, L.G. JAOAC 63, 1300-1303 (1980)
Comparison of gas and liquid chromatography for determination of anilazine in potatoes and tomatoes.
163
- Lembo, S. et al., J. Chromatog., 267, 427-430 (1983)
Gas-liquid chromatographic method for determining propylenethiourea in rat tissues and fluids
150
- Leppert (1), B.C. et al., J. Agr. Fd. Chem., 31, 220-223 (1983)
Determination of carbosulfan and carbofuran residues in plants, soil, and water by gas chromatography
145
- Leppert (2), B.C. et al., J. Agr. Fd. Chem., 32, 1441 (1984)
Comment on recovery of carbosulfan residues from acidic crops
145
- Li Yu-Chang et al., Fres. Z. Anal. Chem., 316, 290-292 (1983)
Methode zur Bestimmung von Rückständen an Butocarboxim in Pflanzen und Boden mit Hilfe der HPLC
139
- Lokke (1), H., J. Chromatog., 200, 234-237 (1980)
Determination of amitrole by ion-pair high-performance liquid chromatography
79

- Lokke (2), H., *J. Chromatog.*, 179, 259-270 (1979)
Investigation on loss of chlorothalonil, dichlofluanid, tolylfluanid and vinclozolin by column chromatography clean-up on silver-loaded alumina in a gas chromatographic multiresidue procedure
81, 82
- Lokke (3), H. & Odgaard, P., *Pest. Sci.*, 12, 375-384 (1981)
Residues in blackcurrants, fodder peas, spinach and potatoes treated with sublethal doses of 2,4,5-T to simulate wind drift damage
121
- Lord, E. et al., *J. Assoc. Publ. Anal.*, 16, 25-32 (1978)
The determination of biphenyl and 2-hydroxybiphenyl in citrus fruit
29, 56
- Lott, P.F. et al., *J. Chromat. Sci.*, 16, 390-395 (1978)
The determination of paraquat
57
- Love, J.L. & Patterson, J.E., *JAOAC*, 61, 627-628 (1978)
Atomic absorption spectrometric determination of cyhexatin
67
- Lubkowitz, J.A. et al., *J. Agr. Fd. Chem.*, 21, 143-144 (1973)
Residue studies of O,S-dimethyl phosphoramidothioate on tomatoes
100
- Luke, B.G. & Cossens, S.A., *Bull. Envir. Cont. Tox.*, 24, 746-751 (1980)
Determination of diphenylamine residues in apples
30
- Maasfeld, *Pflanzenschutz Nachr. Bayer* 40, 29-48 (1987) German Ed.
Method for GC determination of residues of the fungicide Folicur in plant material
189
- Maclaine Pont, M.A. et al., *Meded. Fac. Landbouww. Rijksuniv. Gent*, 45, 835-840 (1980)
The residue analysis of prochloraz in combination with dicloran
142
- Mendes, M.C.S. *J. Agric. Fd. Chem.* 38 174-178 (1990)
Evaluation and confirmation of acetylation gas liquid chromatographic method for the determination of triadimenol in foods.
168
- Mestres (1), R. et al., *Trav. Soc. Pharm. Montpellier*, 35, 87-100 (1975)
Méthode rapide de contrôle et de dosage des résidus d'ortho-phényl phénol et de biphenyle dans les agrumes
29, 56, 72, 77
- Mestres (2), R. et al., *Ann. Fals. Exp. Chim.*, 73, 407-420 (1980)
Méthode de recherche et de dosage des résidus de pesticides dans les produits céréaliers; 2o: Fumigants
9, 10, 23, 24, 52
- Mestres (3), R. et al., *Proc. Int. Soc. Citricult.*, 3, 1103-1106 (1977)
Thiophanate-methyl postharvest residues in oranges
65, 72, 77

- Moellhoff (1), E., *Pflanzensch. Nachr. Bayer* (Engl. edit.), 28, 370-381 (1975)
Method for gas-chromatographic determination of Curaterr residues in plants and soil samples with consideration to metabolites
96
- Moellhoff (2), E., *Pflanzensch. Nachr. Bayer* (Engl. edit.), 30, 249-263 (1977)
Method for gas-chromatographic determination of Peropal acaricide and its metabolites in plants, soil, water and laboratory animal chow
67, 129
- Muszkat, L. & Aharonson, N., *J. Chromat. Sci.*, 21, 411-414 (1983)
GC/CI/MS analysis of aldicarb, butocarboxime, and their metabolites
117, 139
- Nakamura et al., *J. AOAC* 76, 1348-1361 (1993)
Determination of pyrethroid residues in vegetables, fruits, grains, beans and green tea.
185
- Newsome (1), W.H., *J. Agr. Fd. Chem.*, 24, 997-999 (1976)
A gas-liquid chromatographic method for the determination of dodine residues in foods
84
- Newsome (2), W.H., *J. Agr. Fd. Chem.*, 22, 887-889 (1974)
A method for determining ethylenebis(dithiocarbamate) residues on food crops as bis(trifluoroacetamido)ethane
105
- Newsome (3), W.H., *J. Agr. Fd. Chem.*, 28, 270-272 (1980)
A method for the determination of maleic hydrazide and its b-D-glucoside in foods by high-pressure anion-exchange liquid chromatography
102
- Newsome (4), W.H., *J. Agr. Fd. Chem.*, 30, 778-779 (1982)
Determination of triforine in fruit crops as N,N'-bis(pentafluorobenzoyl)piperazine
116
- Newsome (5), W.H., *J. Agr. Fd. Chem.*, 28, 319-321 (1980)
Determination of daminozide residues on foods and its degradation to 1,1-dimethylhydrazine by cooking
104
- Nishizawa, H., et al, JAOAC accepted for publication
Simple clean-up procedure for residue analysis of buprofezin and its metabolites in crops by GC
- Nitz, S. et al., *J. Agr. Fd. Chem.*, 30, 593-596 (1982)
A capillary gas-liquid chromatographic method for determination of ethylenethiourea and propylene thiourea in hops, beer, and grapes
108, 150
- Official Gazette, no. 4 of the Notification issued on March 20, 1979, by the Japan Environment Agency
Residue analysis of cartap hydrochloride
97
- Ott, D.E. & Gunther, F.A., *JAOAC*, 909-912 (1982)
Field screening method for above-tolerance residues of dithiocarbamate fungicides
105
- Otto, S. et al., *J. Envir. Sci. Health, Part B*, 12, 179-191 (1977)
A new gas chromatographic determination of ethylene thiourea residues without derivatization
108

Panel (1) of the Committee for Analytical Methods for Residues of Pesticides and Veterinary Products in Foodstuffs of the Ministry of Agriculture, Fisheries and Food, Analyst, 98, 19-24 (1973)
The determination of malathion and dichlorvos residues in grain
25, 49

Panel (2) of the Committee for Analytical Methods for Residues of Pesticides and Veterinary Products in Foodstuffs of the Ministry of Agriculture, Fisheries and Food, Analyst, 101, 386-390 (1976)
Determination of residues of inorganic bromide in grain
4

Panel (3) of the Committee for Analytical Methods for Residues of Pesticides and Veterinary Products in Foodstuffs of the Ministry of Agriculture, Fisheries and Food, Analyst, 102, 858-868 (1977)
Determination of residues of organophosphorus pesticides in fruits and vegetables
2, 27, 49, 55, 58

Panel (4) of the Committee for Analytical Methods for Residues of Pesticides and Veterinary Products in Foodstuffs of the Ministry of Agriculture, Fisheries and Food, Analyst, 104, 425-433 (1979) Determination of organochlorine pesticides in animal fats and eggs
1, 21, 33, 44, 48

Panel (5) of the Committee for Analytical Methods for Residues of Pesticides and Veterinary Products in Foodstuffs of the Ministry of Agriculture, Fisheries and Food, Analyst, 99, 570-576 (1974)
The determination of residues of volatile fumigants in grain
10, 23

Panel (6) of the Committee for Analytical Methods for Residues of Pesticides and Veterinary Products in Foodstuffs of the Ministry of Agriculture, Fisheries and Food, Analyst, 106, 782-787 (1981)
Determination of residues of dithiocarbamate pesticides in foodstuffs by a headspace method
105

Panel (7) of the Committee for Analytical Methods for Residues of Pesticides and Veterinary Products in Foodstuffs of the Ministry of Agriculture, Fisheries and Food, Analyst, 105, 515-517 (1980)
Determination of a range of organophosphorus pesticide residues in grain
4, 22, 27, 37, 49, 74, 86, 112

Panel (8) of the Committee for Analytical Methods for Residues of Pesticides and Veterinary Products in Foodstuffs of the Ministry of Agriculture, Fisheries and Food, Analyst, 110, 765-768 (1985)
Determination of a range of organophosphorus pesticide residues in grain
4, 27, 37, 49, 86, 90, 123, 125

Panel (9) of the Committee for Analytical Methods for Residues of Pesticides and Veterinary Products in Foodstuffs of the Ministry of Agriculture, Fisheries and Food, Analyst, 112, 1559-1563 (1987)
Determination of ethylenethiourea in canned fruits and vegetables
108

Phillips, A.J.L., *Phytophylactica* 24 289-292 (1992). Bioassay of tolclofos-methyl in bean seed.
191

- Player, R.B. & Wood, R., *J. Assoc. Publ. Anal.*, 18, 109-117 (1980)
Methods of analysis - collaborative studies; Part III: Determination of biphenyl and 2-hydroxy-biphenyl in citrus fruit
29, 56
- van der Poll, J.M., Vink, M. and Quirijns, J.K. *Chromatographia*, 30, 155-158, 1990.
Determination of amitrole in plant tissues and sandy soils by capillary gaschromatography with alkali flame ionization detection.
79
- Pomerantz, I.H. & Ross, R., *JAOAC*, 51, 1058-1062 (1968)
Captan and structurally related compounds: thin layer and gas-liquid chromatography
6, 7, 41
- Prabhu, S.V., Varsolona, R.J., Welmer. T.A. , Egan, R.S. and Tway, P.C. *J. Agr. Fd. Chem.* 40,622-625 (1992)
Rapid and sensitive high performance liquid chromatographic method for the quantification of abamectine and its delta 8,9 isomer.
177
- Pyysalo, H. et al., *J. Chromatog.*, 168, 512-516 (1979)
Extraction and determination of o-phenylphenol and biphenyl in citrus fruits and apples
29, 56
- Ragab, M.T.H. Anderson, M.G. & Johnston, H.W. *Bull Envir. Contam. Toxicol.* 44, 100-105 (1990)
Residue analysis of triadimefon, triadimenol and the BAY KWG1342 diol and BAY KWG1323 hydroxylated metabolites in winterweed.
133, 168
- Rains, D.M. & Holder, J.W., *JAOAC*, 64, 1252-1254 (1981)
Ethylene dibromide residues in biscuits and commercial flour
23
- Rajzman, A., *Analyst*, 99, 120-127 (1974)
Determination of thiabendazole in citrus fruits by ultraviolet spectrophotometry
65
- Reed, A.N., *J. Chromatogr.* 438, 393-400 (1988)
Quantification of triazole and pyrimidine plant growth retardants
161
- Rosenberg, C. & Siltanen, H., *Bull. Envir. Cont. Tox.*, 22, 475-478 (1979)
Residues of mancozeb and ethylenethiourea in grain samples
108
- Roughan, J.A. et al., *Analyst*, 108, 742-747 (1983)
Modified gas-liquid chromatographic method for determining bromide/total bromine in foodstuffs and soils
47
- Sachse, J., *Z. Lebensm. Unters. Forsch.*, 163, 274-277 (1977)
Über die Bestimmung von Chlorcholinchlorid (CCC) in Getreide
15
- Sano, M. et al., *JAOAC*, 62, 764-768 (1979)
Flameless atomic absorption spectrophotometric determination of Vendex, an organic tin miticide, in apples, oranges, and tea leaves
109

- Saxton W.L et al. J. Agric. Food Chem., 37, 570-573 (1989)
Results of a survey for the presence of daminozide and unsymmetrical dimethylhydrazine in food.
104
- Scudamore (1), K.A., Analyst, 105, 1171-1175 (1980)
Determination of 2-aminobutane in potatoes using high-performance liquid chromatography
89
- Scudamore (2), K.A. & Goodship, G., Pest. Sci., 17, 385-395 (1986)
Determination of phosphine residues in fumigated cereals and other foodstuffs
46
- Snowdon, P.G., et al, Fresenius J. Anal. Chem. 339, 444-447 (1991)
The hydrolysis of clofentazine and related tetrazines as the basis of determination of residues in bovine tissues.
- Somerville, L., Meded. Fac. Landbouww. Rijksuniv. Gent, 45, 841-848 (1980)
The analysis of prochloraz residues in cereals
142
- Specht (1), W. & Tillkes, M., Fres. Z. Anal. Chem., 307, 257-264 (1981)
Gas-chromatographische Bestimmung von Rückständen von Pflanzenbehandlungsmitteln nach Clean-up über Gel-Chromatographie und Mini-Kieselgel-Säulen-Chromatographie; 4. Mitteilung: Gas-chromatographische Bestimmung von 11 herbiciden Phenoxyalkancarbonsäuren und ihren Estern in Pflanzenmaterial
20, 121
- Specht (2), W and Tilkes, M, Fres. Z. Anal. Chem., 322, 443-455 (1985)
Gas-chromatographische Bestimmung von Rückständen von Pflanzenbehandlungsmitteln nach Clean-up über Gel-Chromatographie und Mini-Kieselgel-Säulen-Chromatographie, V. Methode zur aufarbeitung von Lebensmitteln und Futtermitteln pflanzlicher und tierischer Herkunft für die bestimmung lipoid und wasserlöslicher Pflanzenbehandlungsmittel.
162
- Stan, H.J., Heil, S., Fresenius J. Anal, Chem. 339, 34-39 (1991)
Two dimensional capillary gaschromatography with three selective detectors as a valuable tool in residue analysis - State of the art
191
- Stijve (1), T., Deutsche Lebensm. Rundsch., 77, 99-101 (1981)
Gas chromatographic determination of inorganic bromide residues - a simplified procedure
47
- Stijve (2), T., IUPAC Pesticide Chemistry, Human Welfare and the Environment, J. Miyamoto (edit.), Pergamon Press, Oxford, UK, 95-100 (1983)
Miniaturised methods for monitoring organochlorine pesticide residues in milk
1, 21, 43, 44, 48, 71
- Stijve (3), T. & Brand, E., Deutsche Lebensm. Rundsch., 73, 41-43 (1977)
A rapid, low cost, small-scale clean-up method for the determination of organochlorine pesticide residues in fats and oils
1, 12, 21, 43, 44, 48
- Stijve (4), T., Deutsche Lebensm. Rundsch., 81, 321-322 (1985)
Inorganic bromide - a simple method for the confirmation of residue identity
47
- Stijve (5), T., Deutsche Lebensm. Rundsch., 76, 234-237 (1980)
Thin-layer chromatographic determination of chlormequat residues in various substrates
15

- Stijve (6), T., Deutsche Lebensm. Rundsch., 76, 119-122 (1980)
The determination of bromopropylate residues
70
- Stijve (7), T., Challenges to Contemporary Dairy Analytical Techniques, Royal Society of Chemistry (London), Publ. no. 49, 293-302 (1984)
Determination and occurrence of organophosphorus pesticide residues in milk
4, 14, 17, 18, 19, 22, 25, 27, 28, 34, 37, 49, 60, 86, 90
- Tadeo, J.L. et al, J. Chrom. 391, 338-342 (1987)
Determination of fenpropimorph in citrus fruit by reverse phase HPLC
- Thornton, J.S., Olsen, T.J. and Wagber, K., Agr. Food Chem. 25, 573-576 (1977)
Determination of residues of metsystox-R and metabolite in Plant and animal tissue and soil
164
- Tjan, G.H. & Konter, Th., JAOAC, 54, 1122-1123 (1971)
Gas-liquid chromatography of Morestan residues in plants
80
- Tuinstra, L.G.M.Th. & Kienhuis, P.G.M., Chromatographia, 24, 696-700 (1987)
Automated two-dimensional HPLC residue procedure for glyphosate on cereals and vegetables with postcolumn fluoregenic labelling
158
- VanHaver, W., Z. Lebensm. Unters. Forsch., 172, 1-3 (1981)
Determination of carbendazim and thiophanate-methyl residues in some vegetables and fruits by highpressure liquid chromatography
72, 77
- VanWees, A.M.P. et al., in: Chromatography and Mass Spectrometry in Nutrition Science and Food Safety, A.Frigerio & H. Milon (edits.), Elsevier, Amsterdam, Netherlands, 19-25 A(1984)
Chromatographic methods for the determination of inorganic bromide in vegetables
47
- Veierov, D. & Aharonson, N., JAOAC, 63, 532-535 (1980)
Economic method for analysis of fluid milk for organochlorine residues at the 10 ppb level
1 (not applicable to dieldrin), 12, 21, 43, 44, 48
- Vuik, J. J. Chromatogr. 553 299-304 (1991)
Rapid determination of abamectin in lettuce and cucumber by high-performance liquid chromatography.
177
- Wagner, K. and Thornton, J.S. Pflanzensch. Nachr. Bayer, 30 1-17 (1977)
Method for the gas-chromatographic determination of metasystox(i) and Metasystox R residues in plants, soil and water (German edit.: 30, 1-17 (1977)
73, 164, 166
- Westcott. N.D., J Environm. Science and Health 323, 317-330 (1988).
Terbufos residues in wheat and barley.
167
- Wigfield, Y.Y. and Lanquette, M. JAOAC, 74. No.5, 842-847 (1991)
Residue analysis of glyphosate and its principal metabolite in certain cereals, oilseeds and pulses by liquid chromatography and post-column fluorescence detection.
158

- Winell, B., *Analyst*, 101, 883-886 (1976)
Quantitative determination of ethoxyquin in apples by gas chromatography
35
- Wright, D., *JAOAC* 70, 718-720 (1987)
New method for the determination of 1,1-dimethylhydrazine residues in apples and peaches
104
- Yamada, T. et al., *Agric. Biol. Chem.*, 48, 1883-1885 (1984)
Determination of residual thiabendazole in citrus fruits and bananas by high performance liquid chromatography
65
- Zimmerli, B. & Marek, B., *Mitt. Geb. Lebensm. Unters. Hyg.*, 63, 273-289 (1972)
Entwicklung einer gaschromatographischen Bestimmungs- und Bestätigungsmethode für Hexachlorbenzolrückstände in Fetten und Oelen
44
- Van Zoonen, P., E.A. Hogendoorn, D.C. van Harten, *Meded. Fac. Landbouwwetenschappen Rijksuniversiteit Gent*, 55 (3b), 1285-1290 (1990)
Determination of fenpropimorph residues in grains by LC followed by confirmation by GC-MPD.
188